

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office JUL 30 1999

Returned to applicant for correction _____

Corrected application filed _____

Map filed AUG 03 1999 under 31222

The applicant MICHAEL FLIER, hereby makes application for permission to change the Point of Diversion, Place & Manner of Use of a Portion of water heretofore appropriated under Permit 56046

1. The source of water is Underground
2. The amount of water to be changed 0.04314 cfs N.T.E. 10 AFA
3. The water to be used for Irrigation & Domestic
4. The water heretofore permitted for Quasi-Municipal
5. The water is to be diverted at the following point NW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 27, T.14N., R.20E., M.D.B.&M., or at a point from which the SW corner of said Section 27 bears S. 37° 05' 34" W., a distance of 1766.33 feet.
6. The existing permitted point of diversion is located within SE $\frac{1}{4}$ NE $\frac{1}{4}$ Section 33, T.14N., R.20E., M.D.B.&M., or at a point from which the N $\frac{1}{4}$ corner of said Section 33 bears N. 50° 03' W., a distance of 3201.0 feet.
7. Proposed place of use Portion of the SE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$, portion of the N $\frac{1}{2}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$, and SE $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ Section 27, T.14N., R.20E., M.D.B.&M. being APN 21-141-22, 28.55 Acres
8. Existing place of use S $\frac{1}{2}$ SE $\frac{1}{4}$ Section 20; S $\frac{1}{2}$ SE $\frac{1}{4}$ Section 21; Section 27; Section 28; E $\frac{1}{2}$, SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 29; Section 33; Section 34; all within T.14N., R.20E., M.D.B.&M.
9. Use will be from January 1st to December 31st of each year.
10. Use was permitted from January 1st to December 31st of each year.
11. Description of proposed works drilled and cased well, pump motor and distribution system.
12. Estimated cost of works \$20,000.00
13. Estimated time required to construct works Existing domestic well, 8 5/8" cased well drilled to a depth of 360 feet.
14. Estimated time required to complete the application of water to beneficial use Five (5) years
15. Remarks: For existing Point of Diversion and Place of Use, please refer to map filed in support of Application 31222 and 53094, respectfully. Permit 56046 and 56047 are supplemental to

one another. The proposed change of 10 AFA by this application will be withdrawn from Permit 56047.

WESTERN ENGINEERING & SURVEYING SERVICES
s/Robert H. Cantley
By ROBERT H. CANTLEY
3032 Silver Sage Drive
Carson City, Nevada 89701

Compared my/cmf hs/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, place of use, and manner of use of a portion of the waters of an underground source as heretofore granted under Permit 56046 is issued subject to the terms and conditions imposed in said Permit 56046 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Irrigation is limited to 2.5 acres within the described place of use.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.04314 cubic feet per second, but not to exceed 10.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 24, 2001

Proof of completion of work shall be filed before:

February 24, 2001

Water must be placed to beneficial use on or before:

January 24, 2002

Proof of the application of water to beneficial use shall be filed on or before:

February 24, 2002

Map in support of proof of beneficial use shall be filed on or before:


February 24, 2002

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 24th day of, January A.D. 2000


State Engineer

Completion of work filed JAN 22 2003

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

